ELSEVIER

Brain Research 704 (1995) 313–314

BRAIN RESEARCH

Author Index

Akaneya, Y., Takahashi, M. and Hatanaka, H.
Selective acid vulnerability of dopaminergic neurons and its recovery by brain-derived neurotrophic factor (704) 175
Albrecht, R.F., see Pelligrino, D.A. (704) 61
Amemiya, N., see Hatta, S. (704) 23
Arai, A., Silberg, J. and Lynch, G.
Differences in the refractory properties of two distinct inhibitory circuitries in field CA1 of the hippocampus (704) 298
Araki, T., Kato, H., Fujiwara, T. and Itoyama, Y.
Age-related changes in bindings of second messengers in the rat brain (704) 227
Aravagiri, M., see See, R.E. (704) 202

Barry, P.H., see Fatima-Shad, K. (704) 246
Beckman, M., see Bileviciute, I. (704) 71
Becquet, D., see Gerin, C. (704) 191
Bele, S., Kiessling, M. and Gass, P.
Embryonic cortical neurons differentiate into various types of interneurons when heterotopically transplanted into the adult rat brain (704) 210
Bengelloun, W., see Talmi, M. (704) 97
Bileviciute, I., Stenfors, C., Theodorsson, E., Beckman, M. and Lundeberg, T.
Significant changes in neuropeptide concentrations in the brain of normotensive (WKY) and spontaneously hypertensive (SHR) rats following knee joint monoarthritis (704) 71
Boué-Grabot, E., Dufy, B. and Garret, M.
Molecular diversity of GABA-gated chloride channels in the rat anterior pituitary (704) 125
Boulay, S.F., see Gitler, M.S. (704) 151
Bronstein, D.M., Perez-Otano, I., Sun, V., Mullis Sawin, S.B., Chan, J., Wu, G.-C., Hudson, P.M., Kong, L.-Y., Hong, J.-S. and McMillian, M.K.
Glia-dependent neurotoxicity and neuroprotection in mesencephalic cultures (704) 112

Carlier, E., see Talmi, M. (704) 97
Cassel, J.-C., Jeltsch, H., Neufang, B., Lauth, D., Szabo, B. and Jackisch, R.
Downregulation of muscarinic- and 5-HT_{1B}-mediated modulation of [^{3}H]acetylcholine release in hippocampal slices of rats with fimbria-fornix lesions and intrahippocampal grafts of septal origin (704) 153
Chan, J., see Bronstein, D.M. (704) 112
Chen, Y.-Z., see Liu, X. (704) 19
Cremisi, F., see Ugolini, G. (704) 121

Davidoff, R.A., see Holohean, A.M. (704) 184
De Belleroche, J., see Hay, C. (704) 145
DeCoster, M.A., see Klette, K.L. (704) 31
Dempesy, C.W., Richardson, D.E. and Fontana, C.J.
Sympathetically-mediated cardiovascular responses induced by neurochemical microinjection in the brainstem lateral tegmental field of cat (704) 141
Dong, K., see Farid Ahmed, A.K.M. (704) 307
Dufy, B., see Boué-Grabot, E. (704) 125

Faingold, C.L. and Randall, M.E.
Pontine reticular formation neurons exhibit a premature and precipitous increase in acoustic responses prior to audiogenic seizures in genetically epilepsy-prone rats (704) 218
Farid Ahmed, A.K.M., Dong, K. and Yamadori, T.
A retrograde double-labeling study of uni- and bilaterally projecting retinal ganglion cells that project to the superior colliculi after unilateral eye removal at birth in the albino rat (704) 307
Fatima-Shad, K. and Barry, P.H.
Heterogeneous current responses to GABA and glycine are present in post-natally cultured hippocampal neurons (704) 246
Fontana, C.J., see Dempesy, C.W. (704) 141
Fujiwara, T., see Araki, T. (704) 227

Garret, M., see Boué-Grabot, E. (704) 125
Gass, P., see Bele, S. (704) 210
Gerin, C., Becquet, D. and Privat, A.
Direct evidence for the link between monoaminergic descending pathways and motor activity. I. A study with microdialysis probes implanted in the ventral funiculus of the spinal cord (704) 191
Gitler, M.S., Boulay, S.F., Sood, V.K., McPherson, D.W., Knap Jr., F.F., Zeeberg, B.R. and Reba, R.C.
Characterization of in vivo brain muscarinic acetylcholine receptor subtype selectivity by competition studies against (*R,S*)-[^{125}I]-IQNB(Brain Res. 687 (1995) 71–78) (BRES 11314) (704) 151
Groves, P.M., see Mura, A. (704) 51

Hackman, J.C., see Holohean, A.M. (704) 184
Hashino, E. and Shero, M.
Endocytosis of aminoglycoside antibiotics in sensory hair cells (704) 135
Hatanaka, H., see Akaneya, Y. (704) 175
Hatta, S., Ozawa, H., Saito, T., Amemiya, N. and Ohshika, H.
Tubulin stimulates adenylyl cyclase activity in rat striatal membranes via transfer of guanine nucleotide to Gs protein (704) 23
Hawkins, R.L., Inoue, M., Mori, M. and Torii, K.
Effect of inhibin, follistatin, or activin infusion into the lateral hypothalamus on operant behavior of rats fed lysine deficient diet (704) 1
Hay, C., Virgo, L., Mentis, G., Navarrete, R. and De Belleroche, J.
Changes in expression of NR-1 and c-*jun* mRNA in rat lumbar spinal cord after neonatal common peroneal nerve crush (704) 145
Holohean, A.M., Hackman, J.C. and Davidoff, R.A.
Modulation of frog spinal cord interneuronal activity by activation of 5-HT_3 receptors (704) 184
Hong, J.-S., see Bronstein, D.M. (704) 112
Hudson, P.M., see Bronstein, D.M. (704) 112

Inoue, M., see Hawkins, R.L. (704) 1
Irifune, M., see Sato, T. (704) 117
Itano, Y. and Nomura, Y.
1-Methyl-4-phenyl-pyridinium ion (MPP^+) causes DNA fragmentation and increases the Bcl-2 expression in human neuroblastoma, SH-SY5Y cells, through different mechanisms (704) 240
Itoyama, Y., see Araki, T. (704) 227

Jackisch, R., see Cassel, J.-C. (704) 153
Jackson, D., see Mura, A. (704) 51
Jeltsch, H., see Cassel, J.-C. (704) 153
Junghans, U., see Stichel, C.C. (704) 263

Kamata, Y., see Sato, T. (704) 117
Kappler, J., see Stichel, C.C. (704) 263
Kato, H., see Araki, T. (704) 227
Kayahara, T., see Shiroyama, T. (704) 130
Kiessling, M., see Bele, S. (704) 210
Kim, S.U., see Satoh, J.-i. (704) 92

Klette, K.L., DeCoster, M.A., Moreton, J.E. and Tortella, F.C.
Role of calcium in sigma-mediated neuroprotection in rat primary cortical neurons (704) 31
Knap Jr., F.F., see Gitler, M.S. (704) 151
Koenig, H.M., see Pelligrino, D.A. (704) 61
Kong, L.-Y., see Bronstein, D.M. (704) 112
Koops, A., see Stichel, C.C. (704) 263
Kresse, H., see Stichel, C.C. (704) 263

Labrie, F., see Pelletier, G. (704) 233
Lauth, D., see Cassel, J.-C. (704) 153
Lawson, S.N., see McCarthy, P.W. (704) 79
Lee, Y.B., see Satoh, J.-i. (704) 92
Liu, X. and Chen, Y.-Z.
Membrane-mediated inhibition of corticosterone on the release of arginine vasopressin from rat hypothalamic slices (704) 19
Lo, T.-M. and Thayer, S.A.
Pharmacologic characterization of refilling inositol 1,4,5-trisphosphate-sensitive Ca^{2+} stores in NG108-15 cells (704) 10
Lundeberg, T., see Bileviciute, I. (704) 71
Luu-The, V., see Pelletier, G. (704) 233
Lynch, A.M., see See, R.E. (704) 202
Lynch, G., see Arai, A. (704) 298

MacKay, W.A. and Mendonça, A.J.
Field potential oscillatory bursts in parietal cortex before and during reach (704) 167
Maffei, L., see Ugolini, G. (704) 121
Manley, M.S., see Mura, A. (704) 51
McCarthy, P.W., Prabhakar, E. and Lawson, S.N.
Evidence to support the peripheral branching of primary afferent C-fibres in the rat: an in vitro intracellular electrophysiological study (704) 79
McMillian, M.K., see Bronstein, D.M. (704) 112
McPherson, D.W., see Gitler, M.S. (704) 151
Mehta, A.K. and Shank, R.P.
Characterization of a benzodiazepine receptor site with exceptionally high affinity for Ro 15-4513 in the rat CNS (704) 289
Mendonça, A.J., see MacKay, W.A. (704) 167
Mentis, G., see Hay, C. (704) 145
Moreton, J.E., see Klette, K.L. (704) 31
Morgan, M.K., see Sekhon, L.H.S. (704) 107
Mori, M., see Hawkins, R.L. (704) 1
Müller, H.W., see Stichel, C.C. (704) 263
Mullis Sawin, S.B., see Bronstein, D.M. (704) 112
Mura, A., Jackson, D., Manley, M.S., Young, S.J. and Groves, P.M.
Aromatic L-amino acid decarboxylase immunoreactive cells in the rat striatum: a possible site for the conversion of exogenous L-DOPA to dopamine (704) 51

Nagata, K. and Narahashi, T.
Differential effects of hexachlorocyclohexane isomers on the GABA receptor–chloride channel complex in rat dorsal root ganglion neurons (704) 85
Nakano, K., see Shiroyama, T. (704) 130
Narahashi, T., see Nagata, K. (704) 85
Navarrete, R., see Hay, C. (704) 145
Nemeroff, C.B., see See, R.E. (704) 202
Neufang, B., see Cassel, J.-C. (704) 153
Nishikawa, T., see Sato, T. (704) 117
Nomura, J., see Shiroyama, T. (704) 130
Nomura, Y., see Itano, Y. (704) 240
Nozaki-Taguchi, N., see Yamamoto, T. (704) 256

Ohshika, H., see Hatta, S. (704) 23
Owens, M.J., see See, R.E. (704) 202
Ozawa, H., see Hatta, S. (704) 23

Pelletier, G., Luu-The, V. and Labrie, F.
Immunocytochemical localization of type 1 17β-hydroxysteroid dehydrogenase in the rat brain (704) 233
Pelligrino, D.A., Wang, Q., Koenig, H.M. and Albrecht, R.F.
Role of nitric oxide, adenosine, *N*-methyl-D-aspartate receptors, and neuronal activation in hypoxia-induced pial arteriolar dilation in rats (704) 61
Perez-Otano, I., see Bronstein, D.M. (704) 112
Prabhakar, E., see McCarthy, P.W. (704) 79
Privat, A., see Gerin, C. (704) 191
Privitera, P.J. and Yates, P.
Hypertensive effect of tissue kallikrein in rostral ventrolateral medulla is mediated by brain kinins (704) 103

Randall, M.E., see Faingold, C.L. (704) 218
Reba, R.C., see Gitler, M.S. (704) 151
Richardson, D.E., see Dempesy, C.W. (704) 141

Saito, T., see Hatta, S. (704) 23
Sato, T., Kamata, Y., Irifune, M. and Nishikawa, T.
Inhibition of purified (Na^+,K^+)-ATPase activity from porcine cerebral cortex by NO generating drugs (704) 117
Satoh, J.-i., Lee, Y.B. and Kim, S.U.
T-cell costimulatory molecules B7-1 (CD80) and B7-2 (CD86) are expressed in human microglia but not in astrocytes in culture (704) 92
Schneider, C., see Singewald, N. (704) 42
See, R.E., Lynch, A.M., Aravagiri, M., Nemeroff, C.B. and Owens, M.J.
Chronic haloperidol-induced changes in regional dopamine release and metabolism and neurotensin content in rats (704) 202
Sekhon, L.H.S., Spence, I., Morgan, M.K. and Weber, N.C.
Chronic cerebral hypoperfusion in the rat: temporal delineation of effects and the in vitro ischemic threshold (704) 107
Shank, R.P., see Mehta, A.K. (704) 289
Shero, M., see Hashino, E. (704) 135
Shiroyama, T., Kayahara, T., Yasui, Y., Nomura, J. and Nakano, K.
The vestibular nuclei of the rat project to the lateral part of the thalamic parafascicular nucleus (centromedian nucleus in primates) (704) 130
Silberg, J., see Arai, A. (704) 298
Singewald, N., Zhou, G.-Y. and Schneider, C.
Release of excitatory and inhibitory amino acids from the locus coeruleus of conscious rats by cardiovascular stimuli and various forms of acute stress (704) 42
Sood, V.K., see Gitler, M.S. (704) 151
Soumireu-Mourat, B., see Talmi, M. (704) 97
South, D.A. and Weinberger, N.M.
A comparison of tone-evoked response properties of 'cluster' recordings and their constituent single cells in the auditory cortex (704) 275
Spence, I., see Sekhon, L.H.S. (704) 107
Stenfors, C., see Bileviciute, I. (704) 71
Stichel, C.C., Kappler, J., Junghans, U., Koops, A., Kresse, H. and Müller, H.W.
Differential expression of the small chondroitin/dermatan sulfate proteoglycans decorin and biglycan after injury of the adult rat brain (704) 263
Sun, V., see Bronstein, D.M. (704) 112
Szabo, B., see Cassel, J.-C. (704) 153

Takahashi, M., see Akaneya, Y. (704) 175
Talmi, M., Carlier, E., Bengelloun, W. and Soumireu-Mourat, B.
Synergistic action of corticosterone on kainic acid-induced electrophysiological alterations in the hippocampus (704) 97
Thayer, S.A., see Lo, T.-M. (704) 10
Theodorsson, E., see Bileviciute, I. (704) 71
Torii, K., see Hawkins, R.L. (704) 1
Tortella, F.C., see Klette, K.L. (704) 31

Ugolini, G., Cremisi, F. and Maffei, L.
TrkA, TrkB and p75 mRNA expression is developmentally regulated in the rat retina (704) 121

Virgo, L., see Hay, C. (704) 145

Wang, Q., see Pelligrino, D.A. (704) 61
Weber, N.C., see Sekhon, L.H.S. (704) 107
Weinberger, N.M., see South, D.A. (704) 275
Wu, G.-C., see Bronstein, D.M. (704) 112

Yamadori, T., see Farid Ahmed, A.K.M. (704) 307
Yamamoto, T. and Nozaki-Taguchi, N.
Zinc protoporphyrin IX, an inhibitor of the enzyme that produces carbon monoxide, blocks spinal nociceptive transmission evoked by formalin injection in the rat (704) 256
Yasui, Y., see Shiroyama, T. (704) 130
Yates, P., see Privitera, P.J. (704) 103
Young, S.J., see Mura, A. (704) 51

Zeeberg, B.R., see Gitler, M.S. (704) 151
Zhou, G.-Y., see Singewald, N. (704) 42